

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
F.O. Rox 1450
Alexandra, Virginia 22313-1450
www.hpto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/700,093	11/10/2000	Lucian Hirsch	P00-1767	1415	
21171	7590 12/30/2005		EXAM	EXAMINER	
STAAS & HALSEY LLP			ZHEN, LI B		
SUITE 700 1201 NEW YORK AVENUE, N.W.			ART UNIT	PAPER NUMBER	
	ON, DC 20005		2194		
			DATE MAILED: 12/30/200	DATE MAILED: 12/30/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Commence	09/700,093	HIRSCH ET AL.				
Office Action Summary	Examiner	Art Unit				
	Li B. Zhen	2194				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 23 Se	eptember 2005.					
,—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>2-30</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>2-30</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner	·.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the o	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
	V CURERV	ILLIAM THOMSON ISORY PATENT EXAMINER				
Attachment(s) SUPERVISOR						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal P	ate atent Application (PTO-152)				
Paper No(s)/Mail Date	6) Other:	•				

Art Unit: 2194

DETAILED ACTION

1. Claims 2 – 30 are pending in the current application.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/23/2005 has been entered.

Response to Arguments

3. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2194

5. Claims 17 and 30 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent No. 5,903,568 to Tanaka et al. [hereinafter referred to as Tanaka].

6. As to claim 17, Tanaka teaches a communication system for processing state information [event notification; col. 7, lines 3 – 11] in a management network having a number of management levels [multilayer management system; col. 6, lines 22 – 50], comprising:

an agent at a first management level storing state information associated therewith [lower-layer agent 107 gives an event notification N.sub.n-1 1 produced in the managed object M.sub.n-1 1; col. 10, lines 38 - 48];

a manager at a second management level immediately above the first management level [upper-layer manager 101; col. 6, lines 22 – 50], sending a request message for performing state realignment to the agent [a lower-layer manager 106 for performing a service function in response to a request from the upper-layer manager 101, a plurality of lower-layer agents 107 for performing a service function in response to a request from the lower-layer manager 106; col. 6, lines 22 – 50 and col. 7, lines 3 – 11], the agent checking the state information with regard to deviations from a normal state [lower-layer agent 107 gives an event notification N.sub.n-1 1 produced in the managed object M.sub.n-1 1 to the lower-layer manager 106 in a step 401; col. 10, lines 45 - 48], and sending only deviant state information of the agent indicating the deviations from the normal state to the manager in response to the request message [Event notifications which correspond to the upper layer in the managed-object

Application/Control Number: 09/700,093

Art Unit: 2194

correspondence information database 105 are reported to the upper-layer agent 102 in a step 406; col. 10, line 48 – col. 11, line 18].

7. As to claim 30, Tanaka teaches a method for processing state information [event notification; col. 7, lines 3 – 11] in a communication system by way of a management network having a number of management levels [multilayer management system; col. 6, lines 22 – 50], comprising:

storing, at an agent of a first management level, state information associated with the agent [lower-layer agent 107 gives an event notification N.sub.n-1 1 produced in the managed object M.sub.n-1 1; col. 10, lines 38 - 48];

sending, to the agent from a manager at a second management level [upper-layer manager 101; col. 6, lines 22 – 50] immediately above the first management level, a request message for performing state realignment [a lower-layer manager 106 for performing a service function in response to a request from the upper-layer manager 101, a plurality of lower-layer agents 107 for performing a service function in response to a request from the lower-layer manager 106; col. 6, lines 22 – 50 and col. 7, lines 3 – 11];

comparing by the agent, the state information previously stored by the agent for deviation from a normal state [lower-layer agent 107 gives an event notification N.sub.n-1 1 produced in the managed object M.sub.n-1 1 to the lower-layer manager 106 in a step 401; col. 10, lines 45 - 48]; and

Art Unit: 2194

sending, by the agent to the manager in response to the request message, only deviant state information indicating deviation from the normal state of the state information previously stored by the agent [Event notifications which correspond to the upper layer in the managed-object correspondence information database 105 are reported to the upper-layer agent 102 in a step 406; col. 10, line 48 – col. 11, line 18].

Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. Claims 2 16 and 18 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka in view of U.S. Patent No. 6,404,743 to Meandzija [cited in the previous office action].
- 10. As to claim 2, Tanaka does not specifically teach an administrative state.
- 11. However, Meandzija teaches utilizing state attributes selected from the group consisting of an operational state [operational state], an administrative state [an event forwarding discrimination group, which includes an administrative state, an operational state; column 11, lines 38 45] and a usage state [usage state 420; column 12, lines 29 36] as state information.

12. It would have been obvious to a person of ordinary skill in the art at the time of the invention to apply the teaching of utilizing administrative state as state information as taught by Meandzija to the invention of Tanaka because administrative state can be set by a manager and used to administratively prohibit an agent from use and in conjunction with a community string, the administrative state can be used for concurrency control [col. 12, lines 8 – 12 of Meandzija].

Page 6

- 13. As to claim 3, Tanaka as modified teaches the normal state is defined by values for the state attributes [state values and state transitions are as defined in the ITU-T X.731 standard; column 11, line 65 – column 13, line 33 of Meandzija] selected from the group consisting of an operational state, an administrative state, a usage state, an unknown state, an alarm status [value defined for the alarm status in the X.731 standard is a set of enumerated values; column 12, lines 54 – 65 of Meandzija], and an available status [value defined for the availability status in the X.731 standard is a set of enumerated values; column 12, line 65 - column 13, line 9 of Meandzija).
- 14. As to claim 4. Tanaka as modified teaches utilizing state attributes for characterizing an operational readiness [operational state 415 describes the operational state of the unit represented by the agent/subagent; column 12, lines 13 – 28 of Meandzija], manageability [administrative state 410 describes the administrative state of the unit represented by the agent/subagent; column 11, line 65 – column 12, line 2 of Meandzija] and use of a resource [availability status 435 describes-the availability status

Application/Control Number: 09/700,093

Art Unit: 2194

of the unit represented by the agent/subagent; column 12, line 65 – column 13, line 9 of Meandzija] supported by the agent in the communication system as state information.

Page 7

- 15. As to claim 5, Tanaka as modified teaches utilizing status attributes, which specify for a resource supported by the agent in the communication system whether it is in an unknown state [unknown status describes the unknown status of the unit represented by the agent/subagent; column 13, lines 27 34 of Meandzija], in an alarmed state [alarm status 430 describes the alarm status of the unit represented by the agent/subagent; column 12, lines 54 65 of Meandzija] or in a state of availability [availability status 435 describes-the availability status of the unit represented by the agent/subagent; column 12, line 65 column 13, line 9 of Meandzija], as state information.
- 16. As to claim 6, Tanaka as modified teaches sending by the manager in the request message a correlation information item for a correlation of the respective request with messages containing changed state information received by the agent [Event Forwarding Discriminator (EFD) Group 530 comprises EFD configuration information defining what types of events an EFD will transform into notifications, at what times of day it will do so, and to which managers it will send the notifications to; column 13, lines 48 55 of Meandzija].

Application/Control Number: 09/700,093

Art Unit: 2194

17. As to claim 7, Tanaka as modified teaches sending by the agent in a message for starting the state realignment, a correlation information item for correlating the messages containing changed state information subsequently sent with the state realignment started in each case [once the agent generates an event as specified in the Event table 515, it checks an EFD Table 535 to find an EFD that matches that event and specifies what kind of notification is to be generated, and to which manager that notification is to be sent; column 14, lines 8 – 15 of Meandzija].

Page 8

- 18. As to claim 8, Tanaka as modified teaches sending the correlation information generated by the agent in the message or messages containing the changed state information [generating the event at the agent and communicating a notification regarding the event from the agent to the management station via the network; column 4, lines 55 65 of Meandzija].
- 19. As to claim 9, Tanaka as modified teaches sending by the manager a parameter to the agent and controlling the state realignment in dependence on the parameter [event information also defines EFD information that defines pre-conditions for communicating a notification of an event from the agent 230 to the management station 210 via the network 160; column 10, lines 57 67 of Meandzija].
- 20. As to claim 10, Tanaka as modified teaches sending by the manager a parameter and automatically initiating the state realignment [automatic schedule] by the

Art Unit: 2194

agent utilizing the parameter [the agent may have an automatic schedule which defines time periods in which a notification may be provided for certain events; column 6, lines 13 – 21 of Meandzija].

- 21. As to claims 11 and 12, Tanaka as modified teaches providing a parameter by the manager with a parameter value which specifies a starting time [start time] and end time [stop time] for the automatic state realignment [scheduling function 540 includes specifications of a daily start and stop time and a weekly mask specifying when the EFD changes availability status from off-duty to available; column 14, lines 16 33 of Meandzija].
- 22. As to claim 13, Tanaka as modified teaches providing by the manager a parameter with a parameter value which specifies a time interval [time periods] for a repetition of the automatic state realignment [the agent may have an automatic schedule which defines time periods in which a notification may be provided for certain events; column 6, lines 13 21 of Meandzija].
- 23. As to claim 14, Tanaka as modified teaches providing by the manager a parameter with a parameter value which characterizes resources for which changed state information [specifies what type of notification] must be transmitted by the agent [Each EFD specifies what type of notification is to be sent for an event that has occurred in the agent; column 13, lines 55 67 of Meandzija].

Art Unit: 2194

24. As to claim 15, Tanaka as modified teaches providing, by the manager, a parameter [control status] with a parameter value that permits interruption [suspended] of a running state realignment [control status describes the control status of the unit represented by the agent/subagent with the possible values of subjectToTest, partLocked, reservedToTest, suspended, and free; column 13, lines 8 – 19 of Meandzija].

- 25. As to claim 16, Tanaka as modified teaches sending, by the manager, the parameter to the agent in the request message [events processing module 224 is used to provide event information that is communicated to the agent to define pre-conditions for the agent to generate an event; column 10, lines 57 67 of Meandzija].
- 26. As to claim 24, Tanaka as modified teaches utilizing state attributes selected from the group consisting of an unknown state [unknown status describes the unknown status of the unit represented by the agent/subagent; column 13, lines 27 34 of Meandzija], an alarm status [alarm status 430 describes the alarm status of the unit represented by the agent/subagent; column 12, lines 54 65 of Meandzija], and an available status [availability status 435 describes-the availability status of the unit represented by the agent/subagent; column 12, line 65 column 13, line 9 of Meandzija] as state information.

Art Unit: 2194

27. As to claims 25 – 28, these are rejected for the same reasons as claim 19 and 14
– 16 above.

28. As to claims 18 - 23 and 29, these are system claims that correspond to method claims 2 - 5, 9, 10 and 24; note the rejection to claims 2 - 5, 9, 10 and 24 above, which also meets these system claims.

Conclusion

- 29. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- U.S. Patent No. 6,199,109 to Reder et al. teaches a method and system for processing an event notification generated by a proxy managed object in a management system, where the management system includes at least one manager and at least one agent.

CONTACT INFORMATION

30. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Li B. Zhen whose telephone number is (571) 272-3768. The examiner can normally be reached on Mon - Fri, 8:30am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Thomson can be reached on 571-272-3718. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2194

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Li B. Zhen Examiner Art Unit 2194

lbz

WILLIAM THOMSON SUPERVISORY PATENT EXAMINER